



TRADE CATALOGUE

**Sri Lanka
2021**



TABLE OF CONTENTS

APPLICATIONS

REBAR DOWELING	04
BASEPLATE / BRACING	08
DEMOLITION - CORING	14
DEMOLITION - BREAKING	16
GRINDING	18
MEASURING	20

SERVICES

HILTI TOOL WARRANTY	24
SOFTWARE SOLUTIONS & SERVICES	26




ABOUT HILTI

Building Construction

At Hilti, we make and design leading cutting-edge technology, software, and services, empowering the professional construction industry. With a global presence in over 120 countries and more than 23,000 employees, we offer a 360 degrees service for your build – from software for design, products, and tools for work onsite to training, repairs, testing, and consultancy. We create technologies, software, and services, which are aimed to drive innovation and stand out from the competition. Our technologies are known to support the achievement of many admirable feats in the field of engineering across the world.

Our commitment to our customers is the epitome, and that is why two-thirds of our Hilti team members are focused on working directly with our customers every day. With our one-of-a-kind services, the industry’s best warranty, and specialists in areas like structural engineering and fire protection, we have become a brand to be reckoned with among Construction professionals.





APPLICATION EXPERTS

Building Construction

Our unique range of products, services, and software always come with personal, expert support. From design to demolition, our primary goal is to provide the right apparatus to help you perform your job impeccably.



SDS-MAX COMBIHAMMERS: TE 70 / TE 50

- Best in their weight class with up to 40% faster drilling than the competition.
- Unmatched operator safety and comfort with advanced Active Vibration Reduction (AVR) technology

[More Info →](#)


SDS-PLUS COMBIHAMMERS TE 30

- Brushless motor for exceptionally high performance
- Drilling holes for rebar doweling diameter holes 4 - 28mm, optimum 10 - 20mm

[More Info →](#)


CONCRETE DRILL BITS SDS-MAX: TE-YX / TE-Y SDS-PLUS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability guarantees the best lifetime in its class
- Innovative TE-YX & TE-CX solid carbide head for easy drilling through steel rebars

[More Info →](#)


DUST REMOVAL TE DRS-Y

- Dust removal for concrete drilling and chiselling with Hilti SDS-Max combihammers

[More Info →](#)


VACUUM CLEANERS

- Universal vacuum cleaner with high suction

[More Info →](#)




REBAR DOWELING

Concrete &
Foundations



REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -
BREAKING

GRINDING

LAYOUT

HILTI TOOL
WARRANTY

SOFTWARE

SOLUTIONS
& SERVICES



CORDLESS DISPENSER HDE 500-A22

- Extremely fast & accurate dispensing with no mortar wastage, perfect for serial injection with the same amount
- Up to 40,000 ml of injection with one battery (80 packs x 500ml / foil)

[More Info →](#)



MANUAL DISPENSER HDM 500

- Easy & fast foil pack loading
- Ruggedly built to withstand tough jobsite conditions

[More Info →](#)



INJECTABLE ADHESIVE ANCHORS: HIT-RE 500 V3 & RE 100

- Highest bond strength of RE 500 V3 provides opportunity for reduced hole depth

[More Info →](#)





REBAR DOWELING

Concrete &
Foundations



071-141-3644



WRITE TO US

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -
BREAKING

GRINDING

LAYOUT

HILTI TOOL
WARRANTY

SOFTWARE

SOLUTIONS
& SERVICES



ANGLE GRINDER AG 100-D

- Equipped with dead man switch for maximum safety.

More Info →



ABRASIVE DISCS

- Designed to offer the best balance between lifetime and material removal rate.

More Info →



ROTARY HAMMER TE 2-A

- lightweight 22V cordless rotary hammer with superior handling characteristics
- Hammer drilling diameter range: 4 - 16 mm

More Info →



CONCRETE DRILL BITS SDS-PLUS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability guarantees the best lifetime in its class
- Innovative TE-YX & TE-CX solid carbide head for easy drilling through steel rebars

More Info →



ROTARY HAMMER TE 3-ML

- Innovative Hilti Cooltec with active cooling to extend tool lifetime
- Outperforms other models in its class with a drilling range of 5 - 28mm

More Info →





ROTARY HAMMER TE 2-A

- lightweight 22V cordless rotary hammer with superior handling characteristics
- Hammer drilling diameter range: 4 - 16 mm

More Info →



ROTARY HAMMER TE 3-ML

- Innovative Hilti Cooltec with active cooling to extend tool lifetime
- Outperforms other models in its class with a drilling range of 5 - 28mm

More Info →



SDS-PLUS CONCRETE DRILL BITS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability guarantees the best lifetime in its class
- Innovative TE-CX solid carbide head for easy drilling through steel rebars

More Info →



Pointed and flat TE-CP chisels

- Ultimate SDS Plus (TE-C) pointed and flat chisel
- Compatible with TE-3 ML
- For controlled chipping in concrete and masonry

More Info →



SCREW ANCHORS HUS-3

- Higher productivity – less drilling and fewer operations than with conventional anchors
- Reduced edge and spacing distances

More Info →



B22 2.6 22V BATTERY

- Compact 22V 2.6 Ah Li-ion battery
- Charging time with C4/36-350 battery charger: 35 min

More Info →



B22 5.2 22V BATTERY

- 22V 5.2Ah Li-ion battery for extended running time
- Charging time with C4/36-350 battery charger: 35 min

More Info →



CORDLESS IMPACT WRENCH SIW 22T-A

- Compact design with excellent balance for precise handling
- ½" square drive with heavy-duty ball-notch retention for security and quick socket changing

More Info →





SDS-MAX COMBIHAMMERS: TE 70 / TE 50

- Best in their weight class with up to 40% faster drilling than the competition.
- Unmatched operator safety and comfort with advanced Active Vibration Reduction (AVR) technology and Active Torque Control (ATC)

[More Info](#) →



SDS-PLUS COMBIHAMMERS TE 30

- Brushless motor for exceptionally high performance
- Drilling holes for rebar doweling diameter holes 4 - 28mm, optimum 10 - 20mm

[More Info](#) →



CORDLESS DISPENSER HDE 500-A22

- Extremely fast & accurate dispensing with no mortar wastage, perfect for serial injection with the same amount
- Up to 40,000 ml of injection with one battery (80 packs x 500ml / foil)

[More Info](#) →



MANUAL DISPENSER HDM 500

- Easy & fast foil pack loading
- Ruggedly built to withstand tough jobsite conditions

[More Info](#) →



DUST REMOVAL TE DRS-Y

- Dust removal for concrete drilling and chiselling with Hilti SDS-Max combihammers

[More Info](#) →



VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti consistently high suction

[More Info](#) →

[Watch Now](#) ▶



CONCRETE DRILL BITS SDS-MAX: TE-YX / TE-Y SDS-PLUS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability guarantees the best lifetime in its class
- Innovative TE-YX & TE-CX solid carbide head for easy drilling through steel rebars

[More Info](#) →



INJECTABLE ADHESIVE ANCHORS: HIT-RE 500 V3 / HY 200-R

- RE 500 V3 for slow cure applications such as water
- HY 200-R for fast cure applications such as bracing of reinforced concrete buildings

[More Info](#) →





DIAMOND CORING MACHINE DD 200

- Air-cooled, heavy-duty drive unit with three-speed gearing and convenient controls
- Optional BL quick-release connection lets you change core bits in seconds – no tools required (keyless system)

More Info
→

Watch Now
▶



DIAMOND CORING MACHINE DD 120/160

- Sturdy three-speed gearing for outstanding coring performance across the entire diameter range
- A wide range of applications including through holes and stitch drilling

More Info
→

Watch Now
▶



DIAMOND DRILLING CORE BITS

- Diamond drilling inserts for a wide range of applications, different base materials and all tool power classes



More Info
→



DIAMOND X-CHANGE MODULE SYSTEM CORE BITS

- Unique Hilti X-Change module system enables easy core removal, fast stuck core bit recovery and on-site

More Info
→



WATER MANAGEMENT SYSTEM DD-WMS 100

- Keeps jobsites clean – all slurry is collected with Hilti water collection systems
- Provides up to one full day of water autonomy for wet diamond coring applications

More Info
→

Watch Now
▶



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -
BREAKING

GRINDING

LAYOUT

SERVICES

HILTI TOOL
WARRANTY

SOFTWARE

SOLUTIONS
& SERVICES



FLOOR DEMOLITION BREAKERS:
TE 2000

- Subchassis AVR (Active Vibration Reduction) for greater working comfort
- Medium to heavy-duty demolition of concrete slabs and foundations

More Info →

Watch Now ▶



10KG DEMOLITION BREAKERS: TE 800
WALL / FLOOR

- Subchassis AVR (Active Vibration Reduction) for greater working comfort
- The innovative brushless SR motor eliminates the need to change carbon brushes and extends the period between repairs

More Info →



5KG DEMOLITION BREAKERS: TE500-Y/
TE 500-X WALL

- Versatile Hex 17 wall breaker for light-duty chiselling in concrete and masonry
- Tool chuck type: HEX 17
- Working direction: Wall

More Info →



TE-S / HEX 28 CHISELS

- Increased productivity with an array of self-sharpening pointed chisels to wave design technology for faster removal with less sticking.
- TE-S & HEX 28 chisels designed for our TE 2000 & TE 3000 breakers

More Info →



SDS-MAX (TE-Y) CHISELS

- Increased productivity with an array of self-sharpening pointed chisels to wave design technology for faster removal with less sticking.
- TE-Y chisels designed for our TE 500, TE 700 & TE 800 breakers.

More Info →



DUST REMOVAL TE DRS-Y

- Dust removal for concrete drilling and chiselling with Hilti SDS-Max combihammers

More Info →



VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti consistently high suction

More Info →



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -
BREAKING

GRINDING

LAYOUT

SERVICES

HILTI TOOL
WARRANTY

SOFTWARE

SOLUTIONS
& SERVICES



CONCRETE FINISHING DGH 130

- Lightweight dedicated concrete grinding tool for wall – to deliver maximum
- Heavy duty removal of concrete bleeding, joints and imperfections and concrete preparation for painting

Coming soon →



ANGLE GRINDER AG 125 13-S

- Universal angle grinder ergonomically designed for cutting and grinding concrete and other material
-

More Info →



ANGLE GRINDER AG 100-D

- Universal angle grinder equipped with dead man switch
- Light duty removal of concrete bleeding

More Info →



5“ DIAMOND CUP WHEELS

- Designed for superior lifetime and removal rate on concrete and a variety of other base materials

More Info →



5“ DIAMOND CUP WHEELS

- Designed for superior lifetime and removal rate on concrete and a variety of other base materials

More Info →



4“ DIAMOND CUP WHEELS

- Designed for superior lifetime and removal rate on concrete and a variety of other base materials

More Info →



VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti consistently high suction

More Info →



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -
BREAKING

GRINDING

LAYOUT

SERVICES

HILTI TOOL
WARRANTY

SOFTWARE

SOLUTIONS
& SERVICES



MEASURING LASER PD-I

- Robust laser meter with smart measuring functions
- Bluetooth® connectivity
- Measures up to 100 m / 330 ft for interior applications

[More Info →](#)



MEASURING LASER PD-E

- Built-in optical viewfinder for outdoor measurements
- Measures up to 200 m even under the toughest outdoor conditions




[More Info →](#)



MEASURING LASER PD-S

- Easy-to-use laser meter for distance and area measurements up to 60 m
- Measuring range: 0.2 m - 60 m
- Measurement accuracy: 1.5 mm
- Measuring functions: Single and continuous measurement

[More Info →](#)



REBAR SCANNER PS 300

- Provides accurate depth of cover measurements for reinforcement at depths of up to 200 mm for the first layer of rebar
- Generates structural assessment reports including statistics and visual presentation in 2D/3D views of areas

[More Info →](#)





TOOL WARRANTY

20-2-1 warranty model for exceptional tool assurance!



Be worry-free with our unique warranty model ensuring optimum value for your money.



071-141-3644

WRITE TO US

PRODUCTS
REBAR DOWELING
BASEPLATE / BRACING
DEMOLITION - CORING
DEMOLITION - BREAKING
GRINDING
LAYOUT

WHY 20 - 2 - 1

We don't forget our customers after we make a sale. On the contrary, our relationship with our customers has just begun. Our 20 - 2 - 1 model is a way by which we nurture this relationship and assure our customers their money's worth. We deliver our customers the best quality in the engineering of products that guarantee top-notch standards of the tool-make. We are so confident of our products' caliber; we can give our customers an exemplary warranty model that leaves you worry-free for years.



DECODING THE 20-2-1 WARRANTY MODEL

20 YEARS MANUFACTURING WARRANTY

- Materials and Workmanship Warranty
- Hilti will repair or replace parts that break as a result of defects in materials or workmanship for 20 years

2 YEARS REPAIR NO COST PERIOD

- Hilti will repair tools at no cost for 2 years from the date of purchase.(1) Damage due to wear and tear is covered.(2) No charges for parts and labor

1 MONTH WARRANTY ON CHARGED REPAIRS

*If you pay for your repair Hilti will guarantee the workmanship for one month. This includes the entire tool not just the replaced spare parts. Hilti guarantees your charged repair will not be greater than 40% than of its present value.

Terms and Conditions

[View PDF](#) →

HILTI TOOL WARRANTY
SOFTWARE
SOLUTIONS & SERVICES



SOFTWARE SOLUTIONS & SERVICES

Customized support for engineers

Our engineering software and services support you to identify effective solutions for your complex design problems in a fraction of the time.



- REBAR DOWELING
- BASEPLATE / BRACING
- DEMOLITION - CORING
- DEMOLITION - BREAKING
- GRINDING
- LAYOUT

FASTENING SOFTWARE AND SERVICES

Simple, easy to use, and accurate solutions to meet your design requirements

Design Software

PROFIS Anchor

A downloadable software solution that lets you perform post-installed anchor design with Hilti's post-installed mechanical or adhesive anchors, that are in accordance with latest European Technical approval guidelines.

Download Anchor

PROFIS Rebar

A downloadable software solution that lets you perform post-installed rebar design with Hilti's post-installed rebar systems, that are in accordance with latest European Technical approval guidelines – Technical Reports and European codes.

Download

PROFIS Anchor Channel

Provides the best features to quickly model and design embeds for a variety of geometries, base materials, and loading conditions. It is the industry leader in Anchor Channel design providing the user a simple and intuitive way to apply design considerations.

Anchor Channel

Engineering Competence Center (ECC)

ECC is a competent and comprehensive team of technical specialists dedicated to resolving all your technical queries regarding anchors, rebar, firestop, and installation systems. Our team prepares a variety of reports on site testing, as well as Profis Anchor/Rebar and Installation System design reports.

On-site Testing Service

Whether it is testing anchors in unknown strata or evaluating the installation quality, our range of testers gives you the peace of mind by ensuring structural safety during execution.

Find Out More

Firestop software and services

Document Manager

Document Manager enables documentation of firestop penetrations, joints, fire doors, and other custom categories. It is a Cloud-based software used by back office administrators in combination with a mobile device application for installers/documenters.

Contact Us For More Information

CONTACT US


hilticenter@hilti.lk
Call: +94-71-141-3644 (Hotline)

HILTI TOOL WARRANTY

SOFTWARE

SOLUTIONS & SERVICES





HILTI STORE

207 Nawala Rd,
Nugegoda 10250,
Sri Lanka

Opening Hours

Sun Closed
Mon 9:00 AM - 5:30 PM
Tue 9:00 AM - 5:30 PM
Wed 9:00 AM - 5:30 PM

Thu 9:00 AM - 5:30 PM
Fri 9:00 AM - 5:30 PM
Sat 9:00 AM - 1:30 PM

CONTACT US

You can reach us at:
071-141-3644

**Customer Service
hours of operation:**
9:00 AM - 5:30 PM

Email:
hilticenter@hilti.lk

Hilti Sri Lanka
07 Nawala Rd, Nugegoda
10250,
Sri Lanka

www.hilti.com.lk
www.hilti.group

